

(19) World Intellectual Property
Organization
International Bureau



Rec'd PCT/PTO

21 MAR 2005



(43) International Publication Date
8 April 2004 (08.04.2004)

PCT

(10) International Publication Number
WO 2004/029802 A1

(51) International Patent Classification: **G06F 9/45, 9/44**

(21) International Application Number:
PCT/EP2003/010439

(22) International Filing Date:
18 September 2003 (18.09.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
02021572.9 26 September 2002 (26.09.2002) EP

(71) Applicant (for all designated States except US): SAP AK-
TIENGESELLSCHAFT [DE/DE]; Neurottstr. 16, 69190
Walldorf (DE).

(72) Inventor; and

(75) Inventor/Applicant (for US only): HAMMERICH,
Reiner [DE/DE]; Friedhofstr. 29, 69231 Rauenberg (DE).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHOD AND COMPUTER SYSTEM FOR DYNAMIC DATA TYPE ENRICHMENT



(57) Abstract: A method, computer program product and computer system for dynamic data type enrichment. A predefined application program (210) uses (410) at least one basic data type (110). At runtime, when the application program (210) is executed, the computer system (900) adds (420) metadata (150) to the at least one basic data type (110).

WO 2004/029802 A1